

Margaret Hames
August 21, 1991

ULUMAY

EAST LEVEE

CHECKLIST OF THE FLORAL TAXA

SCIENTIFIC NAME	COMMON NAME	STATUS
Acrostichum danaeifolium	Giant leather fern	FDA=T
Baccharis glomeruliflora	Groundsel tree	
Baccharis halimifolia	Saltbush	
Batis maritima	Saltwort	
Borrichia frutescens	Sea oxeye daisy	
Callicarpa americana	Beautyberry	
Cephalanthus occidentalis	Buttonbush	
Conocarpus erectus	Buttonwood	
Cyperus odoratus	Sedge	
Forestiera segregata	Florida privet	
Heliotropium angiospermum	Scorpion-tail	
Iva frutescens	Marsh elder	
Juniperus silicicola	Southern red cedar	
Kalanchoe daigremontiana	Devil's backbone	Exotic
Laguncularia racemosa	White mangrove	F.S.
Lantana camara	Shrub verbena	Exotic
Lantana involucrata	Lantana	
Lycium carolinianum	Christmas berry	
Opuntia stricta	Prickly pear	FDA=T, CITES=II
Parthenocissus quinquefolia	Virginia creeper	
Passiflora suberosa	Corky-stemmed passionflower	
Poinsettia cyathophora	Painted-leaf	
Sabal palmetto	Cabbage palm	
Salicornia bigelowii	Annual glasswort	
Schinus terebinthifolius	Brazilian pepper	Exotic
Zanthoxylum clava-herculis	Hercules club	

RECOMMENDATIONS

- All exotics be removed.
- Opuntia stricta be relocated. (40+ individuals)
- All existing tree species and Sabal palmetto be preserved.
- Levee revegetation be with dominant native species:

Lantana involucrata	Iva frutescens
Borrichia frutescens	Juniperus silicicola
Conocarpus erectus	Sabal palmetto
- Revegetation down slope be with dominant native species:

Salicornia bigelowii	Batis maritima
Mangrove spp.	

Margaret Hames
September 1, 1991

ULUMAY

WEST LEVEE

CHECKLIST OF THE FLORAL TAXA

SCIENTIFIC NAME	COMMON NAME	STATUS
Ambrosia artemisiifolia	Common ragweed	
Andropogon glomeratus	Bushy bluestem	
Avicenia germinans	Black mangrove	F.S.
Baccharis halimifolia	Saltbush	
Bacopa monnieri	Water hyssop	
Batis maritima	Saltwort	
Bidens alba	Begger tick	
Borrichia frutescens	Sea oxeye daisy	
Callicarpa americana	Beautyberry	
Catharanthus roseus	Madagascar periwinkle	Exotic
Cenchrus sp.	Sandbur	
Chamaesyce blodgettii	Spurge (unnamed)	
Cyperus sp.	Sedge	
Distichlis spicata	Saltgrass	
Eupatorium serotinum	Late-flowering thoroughwort	
Ficus aurea	Strangler fig	
Forestiera segregata	Florida privet	
Heliotropium angiospermum	Scorpion-tail	
Iva frutescens	Marsh elder	
Juniperus silicicola	Southern red cedar	
Laguncularia racemosa	White mangrove	F.S.
Lantana camara	Shrub verbena	Exotic
Limonium carolinianum	Sea lavender	
Lycium carolinianum	Christmas berry	
Melothria pendula	Creeping cucumber	
Myrica cerifera	Wax myrtle	
Panicum maximum	Guinea grass	Exotic
Parthenocissus quinquefolia	Virginia creeper	
Passiflora suberosa	Corky-stemmed passion-flower	
Phytolacca americana	Pokeberry	
Pluchea camphorata	Marsh fleabane	
Poinsettia cyathophora	Wild poinsettia	
Portulaca pilosa	Pink purslane	
Rivina humilis	Rouge plant	
Sabal palmetto	Cabbage palm	
Salicornia bigelowii	Annual glasswort	
Schinus terebinthifolius	Brazilian pepper	Exotic
Scoparia dulcis	Goat-weed	
Smilax auriculata	Greenbriar	

ULUMAY, WEST LEVEE (CONT.)

SCIENTIFIC NAME	COMMON NAME	STATUS
<i>Solanum nigrescens</i>	Black nightshade	
<i>Sida acuta</i>	Sida (unnamed)	
<i>Solidago sempervirens</i>	Goldenrod	
<i>Suaeda linearis</i>	Sea blite	
<i>Sesuvium portulacastrum</i>	Sea purslane	
<i>Tillandsia recurvata</i>	Ball moss	
<i>Urena lobata</i>	Caesar weed	
<i>Vigna luteola</i>	Cow pea	
<i>Yucca aloifolia</i>	Spanish bayonet	
<i>Zanthoxylum clava-herculis</i>	Hercules club	

SELECTED REFERENCES

- Small, J.K. 1933. Manual of the Southeastern Flora. Published by Author, New York.
- Wunderlin, R.P. 1982. Guide to the Vascular Plants of Central Florida. University Presses of Florida, Gainesville.

REMARKS

Of significance is the presence of mature trees:
 Black mangroves - 6" dbh, 4" dbh
 Hercules clubs - 5" dbh, 4" dbh
 Strangler figs - 12" dbh

RECOMMENDATIONS

- All exotics be removed.
- All existing tree species and *Sabal palmetto* be preserved with special protection for mangroves.
- Levee revegetation be with dominant native species:
Borrichia frutescens *Lycium carolinianum*
Iva frutescens *Forestiera segregata*
- Revegetation down slope be with dominant native species:
Batis maritima *Borrichia frutescens*
Salicornia bigelowii *Suaeda linearis*
 Mangrove spp.

TONY MANOS
GILBERT SOUTHERN
454-3125